BROOKHAVEN NATIONAL LABORATORY

program

Director's Office and Office of Policy and Strategic Planning

FY06 OSH Management Plan

				A	, , , , ,
W Ports	8/16/06	HOLD BOX	8/16/06	Saul from	- 8/17/0i
Prepared by: D Ports Date		Reviewed by: J.P. Looney	Date	Approved by: S. Aronse	on Date
1. Achieve OHSAS 18001 re	egistration				
Target		Actions		Person Responsible	Due Date
Achieve OHSAS 18001 registration by meeting target dates for Phase 3 registration		Complete JRAs and FRAs		D. Ports	09/06
		Issue OSH Objectives & Targets		. D. Ports	08/06
		Improve OSH awareness by reviewing the OHSAS 18001 program at meetings		D. Ports	11/06
		Disposition non-conformances and recommendations that result from the Laboratory OHSAS Audit (as needed)		As Assigned	09/06
2. Objective: Safe and Com	pliant Work	Spaces	- day		
Timely disposition of safety inspection and observation findings		Develop on-going tracking system		D. Ports	9/06
		Disposition w/in 30 days of identified /reported condition		As Assigned	On-going
3. Objective: Safe Workers					
Staff knowledgeable and engaged in safety programs		All staff complete "Reducing Injuries and Accidents in the Workplace" training		All Stall	09/06
		Involve staff in and/or provide awareness "training" of Building 460 and 475 FRAs and JRAs and overall OHSAS program			9/06
Staff exhibit safe work behaviors		Complete work observation safety training		ng S. Aronson J.P. Looney	9/06
		Complete 1 work observation in building 460 or building 475		J.P. Looney	9/06
4. Objective: Prepared to I	Respond to E	mergency Conditions/Event	s		
Improve Emergency Response Procedures		Develop Building 460 Local Emergency Plan (LEP) in accordance w/Emergency Preparedness Subject Area		D. Ports	8/06
		Enhance LEP Shelter in Place Guidance to address HVAC shutdown		D. Ports J. Searing	9/06
		Communicate/train affected staff on revised procedures		D. Ports	10/06
Develop and execute annual building drill		Develop drill scenario		D. Ports J. Searing	9/06

Schedule and Conduct drill

D. Ports

J. Searing

10/06